



TERRACOAT TEXTURED COATINGS

The House of Scandinavian Finishing Materials



TERRACOAT BT
Application:
Colour: TX 168-3



TERRACOAT Smooth
Application:
Colour: TX 100-5



TERRACOAT Super Fine
Application:
Colour: TX 106-3



TERRACOAT Fine
Application:
Colour: TX 175-4



TERRACOAT Standard
Application:
Colour: TX 184-5




TERRACOAT Granule 1.0mm
Application:
Colour: TX 171-3

Also available in: 1.5mm



TERRACOAT Granule Filled 1.5mm
Application:
Colour: TX 172-4




TERRACOAT Excel 1.5mm (Vertical pattern)
Application:
Colour: TX 141-5

Also available in: 1.0, 2.0mm



TERRACOAT Suede
Application:
Colour: TX 144-5



Supertex Basecoat & Terrashine Gloss
Application:
Colour: TX 149-3

COLOURS



TX 156-1



TX 163-1



TX 167-1



TX 175-3



TX 106-4



TX 179-3



TX 183-3



TX 179-5



TX 180-5



TX 186-5



TX 163-2



TX 091-2



TX 173-4




TX 090-5



TX 168-4




TX 154-2




TX 077-4



TX 167-3



TX 171-4



TX 172-5



TX 162-4



TX 161-4



TX 144-4




TX 139-5



TX 145-4



TX 151-5



TX 051-6



TX 046-6



TX 036-6



TX 141-6


Most products are available in 3 chemistries: Acrylic, Silicone and Elastomeric.
Customised colours are available on request subject to minimum order requirements.

While the Terracoat Textured Coatings range is traditionally used to decorate exterior facades, certain Terracoat Textured Coatings are ideally suited for use with Terraco EIFS (Exterior Insulation Finishing Systems – also referred to as EWI or ETICS in the industry), and have been appropriately highlighted in this catalogue. EIFS is an energy efficient thermal wrapping applied to the exterior surfaces of a building. This thermal wrapping is then finished with a long-life, decorative and protective Terracoat Textured Coating.



Certifications

- EOTA (European Technical Approval) – ETAG 004
- BBA Agrément Certificate (UK)
- Irish Agrément Board Certificate
- FED Compliant (US ARMY)
- Russian National Standard: Technical Certificate
- Romania National Institute (INCERC)
- Turkish Standard TSE
- U.A.E. / UAQ Civil Defence
- P.R. China Certified System



Reference Projects



Al Barari Villas, Dubai, U.A.E.



Rose Tower, Sharjah, U.A.E.



Future School, Al Ain, U.A.E.



Children's Cancer Hospital, Cairo, Egypt



Kempinski Hotel, Dead Sea, Jordan



Terracoat Textured Coatings is a range of premium quality, ready-mixed textured coatings. These decorative wall coatings are available in 3 versions - acrylic based, silicone based and elastomeric based. Please consult your Terraco representative for advice on selecting the best product to meet your local performance requirements.

Formulated to last – they provide a unique combination of the highest quality architectural finishes with outstanding long term economy and durability. Characterised by ease of application and low material consumption – Terracoat Textured Coatings offer outstanding versatility and can be applied on a wide variety of substrates when suitably primed including concrete, sand / cement render, gypsum dry wall, plywood, chipboard, anti-rust primed steel and more.

Terracoat Textured Coatings are developed to withstand extreme climatic conditions and have been successfully applied in desert, tropical and arctic climates for over 35 years. Terracoat Coatings can be expected to last a minimum of 10 years and are backed by Terraco's international quality guarantee.

Terracoat Textured Coatings come in a wide range of textures and attractive colours, some of which are displayed in this catalogue. Using this catalogue, first select your texture and then select your colour of choice. Thereafter, contact your Terraco representative for an architectural sample for your approval.





www.terraco.com

SWEDEN • UK • IRELAND • RUSSIA • TURKEY • ALGERIA • EGYPT • SOUTH AFRICA • JORDAN • UAE • THAILAND • VIETNAM • CHINA • KOREA