

**//// TERRACO®**




## **TERRALITE STONE**

*The House of Scandinavian Finishing Materials*



TERRALITE STONE

Application:   
Colour: TS-1766



TERRALITE STONE

Application:   
Colour: TS-1763



TERRALITE STONE

Application:   
Colour: TS-1761



TERRALITE STONE

Application:   
Colour: TS-1767



TERRALITE STONE

Application:   
Colour: TS-1765



TERRALITE STONE

Application:   
Colour: TS-1764



TERRALITE STONE

Application:   
Colour: TS-1762



TERRALITE STONE

Application:   
Colour: TS-1768



**Terralite Stone** is a spray applied stone-effect coating, creating an appearance of 'hammer toned granite', sometimes referred to as 'flamed granite'.

Being extremely tough and durable, this product has excellent weathering properties. Specifically formulated as a vapour permeable coating, this coating will allow the substrate to breathe, providing additional protection to the substrate.

This product has been designed to be used as either part of the Terraco EIF System or as a wall coating which can be applied to a large variety of suitably primed substrates.

Guaranteed to last, this product is backed by Terraco's International Quality Guarantee.



- TERRALITE STONE
- STYROBOND DP (BASECOAT)
- GLASS FIBRE MESH
- STYROBOND DP (BASECOAT)
- INSULATION BOARD



## Certifications

- EOTA (European Technical Approval) – ETAG 004 (# ETA-09/0384 EN)
- FED Compliant (US ARMY) (# 09-06-M0149)
- Russian National Standard: Technical Certificate (# 2975-10)
- Romania National Institute (INCERC) 001-04/1251-2010
- Turkish Standard TSE (TS EN 13499, TS EN 13500)
- Dubai Municipality (DM) (# 102)
- P.R. China Certified System JG149-2003 (# 20102D 00884)
- Irish Agreement Board Certificate No. 12/0370





[www.terraco.com](http://www.terraco.com)

SWEDEN • UK • IRELAND • RUSSIA • TURKEY • ALGERIA • EGYPT • SOUTH AFRICA • JORDAN • UAE • THAILAND • VIETNAM • CHINA • KOREA